



#### Wound Care Formulary for CityCare Version 12

The Wound Care Formulary for CityCare will comprise of 3 lists:

**LIST ONE** – This list is for all your weekly dressing stock order.

**LIST TWO** – This list contains dressings which are on list one but are larger sizes that you will not require on a regular basis in order to obtain these please contact your manager for authorisation. It also contains specialist dressings that are not required on a regular basis, if these are needed then your manager can authorise two weeks of dressings, if they are needed for longer then please ring the Tissue Viability Team to discuss the rationale for use. There are also some dressings that can only be authorised by the Tissue Viability Team.

**LIST THREE** – This list contains products which need to be obtained by prescription.

Any products required which are not on list 1, 2 or 3 please ring Tissue Viability Team to discuss.

#### **LIST ONE – WEEKLY STOCK ORDER**

STERILE DRESSING PACK – SOFTDRAPE		RICHARDSONS
Small gloves	£0.39	
Medium gloves	£0.39	
Large gloves	£0.39	
SALINE POD		CREST MEDICAL LTD
20mls	£0.11	
TAPE – MICROPORE		3M
2.5cm x 9.14m	£0.27	
5cm x 9.14m	£0.54	
GAUZE SWABS		UNISURGE
10cm x 10cm 4ply in 5's	£0.04	
ADHESIVE REMOVER – APPEEL STERILE		CLINIMED
5ml sachets	£1.02	For adhesive dressing removal where skin stripping and pain is a
		concern. Avoid use around flames and sources of ignition as
		flammable.
TUBULAR BANDAGE - CLINIFAST		CLINISUPPLIES
Blue line 7.5cm x 10m	£1.85	For dressing retention – but not to be used under compression
Yellow line 10.75cm x 10m	£2.74	bandages.
TUBULAR BANDAGE - COMFINETTE		365 HEALTHCARE
Size 78 adult limb 20m roll	£2.52	Only to be used under compression if a clinical need indicated.
Size 12 fingers/toes 20m roll	£1.93	
MEDI DERMA-S TOTAL BARRIER CREAM	VI	MEDICAREPLUS
2g sachet	£0.18	A barrier against irritation from body fluids. Tubes of barrier
		cream must be obtained via prescription.
MEDI DERMA-S TOTAL BARRIER FILM		MEDICAREPLUS
1ml foam applicator	£0.66	Protects peri-wound and vulnerable skin from exudate and body
		fluids. Do not use on infected skin.

WOOL PADDING – FORMFLEX		LANTOR UK	
10cm x 2.7m £0.34		For re shaping a leg and protection of bony prominences prior to	
		applying a compression bandage. Also absorbs exudate.	
LIGHT SUPPORT BANDAGE – K-LITE		URGO MEDICAL	
10cm x 4.5m	£0.61	Provides light support but no compression.	
ZINC PASTE BANDAGE – VISCOPASTE		SMITH & NEPHEW	
7.5cm x 6m	£4.54	Zinc paste bandage for management of venous eczema and skin	
		irritation.	
K-TWO		URGO MEDICAL	
18 – 25cm	£7.39	Provides full compression.	
25 - 32cm	£8.09		
K-TWO REDUCED		URGO MEDICAL	
18 – 25cm	£7.22	Provides reduced compression.	
25 – 32cm	£7.90		
K-TWO LATEX FREE		URGO MEDICAL	
18 – 25cm £7.39		Provides full compression.	
25 - 32cm £8.08			
K-TWO REDUCED LATEX FREE		URGO MEDICAL	
18 – 25cm	£7.39	Provides reduced compression.	
25 – 32cm	£8.08		
ACTICO		L&R	
10cm x 6m	£3.34	Provides full compression.	
K-PLUS		URGO MEDICAL	
10cm x 8.7m	£1.64	Light compression bandage.	
PEHA-HAFT		PAUL HARTMAN	
10cm x 4m	£0.66	Cohesive retention bandage.	

## **ANTIBACTERIAL**

ATRAUMAN AG		PAUL HARTMANN
5cm x 5cm	£0.51	Non-adherent wound contact layer impregnated with silver. For
10cm x 10cm	£1.20	use on infected wounds short term (7 – 14 days). Requires a
10cm x 20cm	£2.39	secondary dressing.
AQUACEL AG +		CONVATEC
2cm x 45cm (ribbon)	£4.38	Hydrofibre ribbon impregnated with silver. For moderate to
1cm x 45cm (ribbon)	£3.24	highly exuding wounds that are infected. For short term use (7 –
		14 days). Requires a secondary dressing.
INADINE		SYSTAGENIX
INADINE 5cm x 5cm	£0.37	SYSTAGENIX  Non-adherent dressing impregnated with iodine. For short term
	£0.37	
5cm x 5cm		Non-adherent dressing impregnated with iodine. For short term
5cm x 5cm		Non-adherent dressing impregnated with iodine. For short term use on infected wound (7-14 days). Requires a secondary
5cm x 5cm 9.5cm x 9.5cm		Non-adherent dressing impregnated with iodine. For short term use on infected wound (7-14 days). Requires a secondary dressing.
5cm x 5cm 9.5cm x 9.5cm AQUACEL Ag + EXTRA	£0.54	Non-adherent dressing impregnated with iodine. For short term use on infected wound (7-14 days). Requires a secondary dressing.  CONVATEC

ALLEVYN ADHESIVE		SMITH + NEPHEW
7.5cm x 7.5cm (5 x 5cm + border)	£1.34	Adhesive foam dressing for moderate to heavy amounts of
10cm x 10cm (7.5 x 7.5cm+ border)	£1.66	exudate. Can be used as a primary or secondary dressing.
12.5cm x 12.5cm (10 x 10cm +border)	£1.94	extuate. Can be used as a primary or secondary dressing.
ALLEVYN NON ADHESIVE		SMITH + NEPHEW
	£0.86	
5cm x 5cm		Foam dressing for moderate to heavy amounts of exudate. Can
10 x 10cm ALLEVYN GENTLE BORDER	£1.67	be a primary or secondary dressing.  SMITH + NEPHEW
	C1 40	
7.5cm x 7.5cm (5 x 5cm + border)	£1.48	Adhesive foam dressing for low amounts of exudate. Can be a
12.5cm x 12.5cm (10 x10cm +border)	£2.70	primary or secondary dressing. Suitable for use on fragile skin.
ATRAUMAN	60.00	PAUL HARTMANN
5cm x 5cm	£0.22	Non-adherent wound contact layer. Requires a secondary
7.5cm x 10cm	£0.19	dressing.
10cm x 20cm	£0.38	
AQUACEL EXTRA	1	CONVATEC
5cm x 5cm	£0.74	Hydrofibre dressing which absorbs moderate to heavy amounts
10cm x 10cm	£1.77	of exudate. Requires a secondary dressing.
2cm x 45cm (ribbon)	£1.86	
1cm x 45cm (ribbon)	£1.46	
ACTIVHEAL HYDROGEL	1	ADVANCED MEDICAL SOLUTIONS
8g	£0.94	Rehydrates necrosis and dry slough. Secondary dressing required.
BASTOS VIEGAS	T	IMS EURO LTD
10cm x 10cm	£0.18	Absorbent pad (not a super absorbent pad). For low to moderate
10cm x 20cm	£0.17	exudate. Not to be used under compression bandages.
20cm x 20cm	£0.23	
20cm x 40cm	£0.60	
CUTIMED SILTEC		ESSITY
5cm x 6cm	£0.92	Foam dressing for low to high amounts of exudate. Can be used
10cm x 10cm	£1.63	as a primary or secondary dressing. Suitable for use on fragile
		skin.
CLINISORB	1	CLINIMED
10cm x 10cm	£2.01	Activated charcoal dressing for the management of malodourous
		wounds. Can be cut to size. Exudate will reduce effectiveness of
		dressing.
DUODERM EXTRA THIN contains pork	<del>-</del>	CONVATEC
7.5cm x 7.5cm	£0.74	Thin hydrocolloid dressing for low exuding wounds. Will hydrate
10cm x 10cm	£1.22	necrosis and slough. Only use as a primary dressing.
4.4cm x 3.8cm oval spots	£0.87	
DUODERM SIGNAL contains pork gelat	I	CONVATEC
10cm x 10cm	£2.15	Hydrocolloid dressing with an indicator to determine dressing
		change. For low to moderate exudate. Will hydrate necrosis and
COSTRORS		slough. Only use as a primary dressing.
SOFTPORE	00.0-	RICHARDSONS
6cm x 7cm (3 x 4 cm +border)	£0.04	Adhesive dressing for low exuding wounds. Can be used as a
10cm x 10cm (5 x 5cm + border)	£0.08	primary or secondary dressing.
10cm x 15cm (5 x 10cm + border)	£0.11	
HYDROFILM PLUS		PAUL HARTMAN
5cm x 7.2cm (2.5 x 4cm + border)	£0.15	Transparent film dressing with and absorbent island pad. For low
9cm x 10cm (4 x 6cm + border)	£0.32	exuding wounds. Can be used as a primary or secondary dressing.
9cm x 15cm (4 x 11cm + border)	£0.42	
OPSITE FLEXIGRID	1	SMITH + NEPHEW
6cm x 7cm	£0.07	Transparent film dressing for superficial to low exuding wounds.
10cm x 12cm	£0.16	Can be a primary or secondary dressing.
L	ı	

# <u>LIST TWO – LARGER SIZES AND SPECIALIST DRESSINGS</u>

ALLEVYN GENTLE BORDER	SMITH +NEPHEW
10cm x 20cm (7.5 x 17.5cm + border)	£3.13
17.5cm x 17.5cm (15 x 15cm + border)	£4.78
ALLEVYN ADHESIVE	SMITH+ NEPHEW
17.5cm x 17.5cm (15 x 15cm + border)	£4.74
AQUACEL EXTRA	CONVATEC
15cm x 15cm	£2.93
TUBULAR BANDAGE CLINIFAST	CLINISUPPLIES
Beige line 15.5cm	£4.18
CUTIMED SILTEC	ESSITY
15cm x 15cm	£3.59
DUODERM EXTRA THIN	CONVATEC
contains pork gelatine	
15cm x 15cm	£2.38
AQUACEL Ag + EXTRA	CONVATEC
15cm x 15cm	£7.40

## **ANTIBACTERIAL**

ACTILITE		ADVANCIS MEDICAL
10cm x 10cm	£0.94	Non adherent dressing coated with honey. Antimicrobial dressing for
10cm x 20cm	£1.82	low to moderately exuding wounds. Not to be used on patients with a
		known allergy to bee venom.
CUTIMED SORBACT		ESSITY
4cm x 6cm (11x16cm unfolded)	£1.74	Antimicrobial wound contact layer designed to bind bacteria. Can be
2cm x 50cm (ribbon)	£3.78	used folded or unfolded. Requires a secondary dressing.
FLAMINAL HYDRO		FLEN HEALTH UK LTD
15g	£7.31	Antimicrobial alginate gel to aid debridement. For low to moderately
		exuding wounds. Requires a secondary dressing.
FLAMINAL FORTE		FLEN HEALTH UK LTD
15g	£7.31	Antimicrobial alginate gel to aid debridement. For moderate to heavily
		exuding wounds. Requires a secondary dressing.
IODOSORB		SMITH + NEPHEW
10g (ointment)	£4.84	Cadexomer powder or ointment with iodine. Not to be used on dry
3g (powder)	£2.24	necrotic tissue. Do not use on children, pregnant or lactating women or
		patients with thyroid disorders.
IODOFLEX		SMITH+ NEPHEW
5g	£4.17	See above.
10g	£8.77	
MEDIHONEY		DERMA SCIENCES
20g	£4.42	Honey dressing with antibacterial action. Requires a secondary dressing.
10cm x 10cm	£2.59	
OCTENILIN		SCHULKE
350mls	£4.81	Wound irrigation solution for use on chronically colonised wounds
URGOCLEAN Ag		URGO MEDICAL
6cm x 6 cm	£1.51	Gelling fibre dressing impregnated with silver. For moderate to highly
10cm x 10cm	£3.64	exuding wound that are infected. For short term use (7-14 days).
15cm x 15cm	£7.09	Requires a secondary dressing.

ALLEVYN NON ADHESIVE		SMITH+ NEPHEW
9cm x 9cm (trachy dressing)	£1.41	
ECLYPSE BOOT		ADVANCIS
47cm x 55cm	£10.69	Super absorbent leg wrap dressing for moderate to heavily exuding
33cm x 48cm	£8.08	wounds. Not to be used on wounds which are bleeding.
HYPAFIX		ESSITY
5cm x 5m	£0.84	Non-woven adhesive tape.
10cm x 5m	£1.34	
10cm x 6m	£2.74	Compression bandage.
MOLLELAST		L&R
4cm x 4m	£0.29	For toe bandaging
SILFLEX		ADVANCIS
5cm x 7cm	£0.83	Soft silicone wound contact layer for use when atrauman adheres to a
8cm x 10cm	£1.84	wound. Requires a secondary dressing.
12cm x 15cm £3.58		
20cm x 30cm	£10.20	
UCS CLOTHS		MEDI UK
Individual sachets	£3.59	For debridement of skin scales, slough and biofilm
ZIPZOC		SMITH + NEPHEW
17cm x 13cm x 1cm	£4.12	Zinc oxide-impregnated stocking for the management of venous eczema
		and skin irritation.
ZETUVIT PLUS		PAUL HARTMAN
20cm x 40cm	£1.69	A super absorbent pad for moderate to high exudate. Must not be used
15cm x 20cm	£0.98	under compression bandages.

# FOR TVN AUTHORISATION ONLY

KERRAMAX		CRAWFORD PHARMACEUTICALS
10cm x 10cm (pack of 5)	£0.97	Non adhesive super absorbent dressing for moderate to high levels of
10cm x 10cm (pack of 50)	£0.96	exudate. Can be used under compression bandages.
10cm x 22cm (pack of 10)	£1.40	
10cm x 22cm (pack of 50)	£1.40	
20cm x 30cm (pack of 5)	£2.55	
20cm x 30cm (pack of 30)	£2.46	
20cm x 50cm (pack of 5)	£4.31	
MEDIHONEY HCS NON ADHESIVI		DERMA SCIENCES
6cm x 6cm	£2.23	Non adhesive all-in-one dressing containing honey acting as a hydro-gel,
11cm x 11cm	£4.49	also has an absorbent layer. Requires a secondary dressing.
MEDIHONEY HCS ADHESIVE		DERMA SCIENCES
11cm x 11cm (7.2 x 7.2cm +	£3.05	Adhesive all-in-one dressing containing honey acting as a hydro-gel, also
boarder)		has an absorbent layer.
15cm x 15cm (11.5 x 11.5cm +	£5.35	
boarder)		
POLYMEM NON ADHESIVE		H&R HEALTHCARE
10cm x 10cm	£2.48	Thin foam dressing which contains a wound cleansing agent. For low to
10cm x 61cm (roll)	£14.40	moderately exuding wounds. Can help to reduce levels of colonisation.
URGOSTART CONTACT		URGO MEDICAL
5cm x 7cm	£2.74	Wound contact layer impregnated with NOSF
10cm x 10cm	£3.89	
URGOSTART PLUS PAD		URGO MEDICAL
6cm x 6 cm	£3.03	Wound contact layer with polyabsorbent fibres with NOSF to deslough
10cm x 10cm	£4.45	wounds.

# LIST THREE – PRODUCTS WHICH NEED TO BE OBTAINED BY PRESCRIPTION

KERRAPRO Silicone pads designed to protect boney prominences from pressure. Should not be used on broken skin					
Individual Size	Individual Size Inches	Quantity	PIP Code		
Heel	Heel	2	375-6087		
10x10x0.3cm sheet	4 x 4 x 0.1"	5	375-6061		
10x10x1.2cm	4 x 4 x 0.5"	5	375-6079		
30x5x0.3cm strip	12 x 2 x0.1"	5	377-3413		
50x2.5x0.3cm strip	20 x 1 x 0.1"	5	377-3405		

KCI (dressings for Activac)		
Item	Size	PIP Code + Dressing Codes
VAC Granufoam Small Dressing	10 x 7.5 x 3.2cm	346-8543
1 sheet standard drape		M8275051/10 – box of 10
1 SensaTRAC pad with connector		M8275051/5 – box of 5
1 disposable ruler		
VAC Granufoam Medium Dressing	18 x 25 x 3.2cm	346-8576
2 sheets standard drape		M8275052/10 – box of 10
1 SensaTRAC pad with connector		M8275052/5 – box of 5
1 disposable ruler		
VAC Granufoam Large Dressing	26 x 15 x 3.2cm	346-8568
2 sheets standard drape		M8275053/10 – box of 10
1 SensaTRAC pad with connector		M8275053/5 – box of 5
1 disposable ruler		
NPWT Gauze Dressing (box 5)	11.4 x 11.5 cm	377-9600
Gauze antimicrobial roll		413716 – box of 5
2 VAC drapes		
1 VAC sensaTRAC pad		
1 disposable ruler		
VAC Whitefoam Small Dressing	10 x 7.5 x 1cm	346-8659
1 VAC standard drape		M8275068/10 – box of 10
1 SensaTRAC pad with connector		M8275068/5 – box of 5
1 disposable ruler		
VAC Whitefoam Large Dressing	10 x 15 x 1cm	346-8675
1 VAC standard drape		M8275067/10 – box of 10
1 SensaTRAC pad with connector		M8275067/5 – box of 5
1 disposable ruler		
Activac Canister with gel	300ml	346-7883
SensaTRAC tubing		M8275058/10 – box of 10
Clamp and connector		M8275058/5 – box of 5
Sensa TRAC Pad Only with tubing,		346-8949
clamp and connector		M8275057/10 – box of 10
VAC Y-Connector		346-8931
		M6275066/10 – box of 10
VAC Gel Hydrogel Strip double sided		346-8840
adhesive		M6275026/10 – box of 10

Flamazine (topical antibacterial agent)		
20g tube	£2.91	

50g tube	£3.85
----------	-------

# Larvae – please contact Tissue Viability Team for advice

MEDI DERMA-S TOTAL BARRIER CREAM			
28g	£2.98	PIP 388-3121	First line barrier treatment for skin at risk of moisture damage or
90g	£5.95	PIP 341-3325	skin that has mild moisture associated skin damage. Will not
			block absorption of continence pads.
MEDI DERMA PRO CLEANSER AND OINTMENT			
250 ml Foam and spray incontinence cleanser 115g Skin protectant ointment	£4.66	PIP 399-6923 PIP 399-6931	For moderate to severe moisture associated skin damage, that is where contamination is a problem and the skin needs to be frequently cleansed but must not be a fungal problem. The cleanser removes bodily fluids and the ointment provides a protective barrier which is thicker than a barrier cream.  Once the moisture damage is resolved MediDerm-S should be used as a barrier.
MEDI HONEY BARRIER			
50g	£4.89	PIP 338-7644	For moderate to severe moisture associated skin damage can be
Jug	£4.03	FIF 330-7044	where there is thought to be a bacterial or fungal problem. Once the moisture damage is resolved MediDerm-S should be used as a barrier.